

Work Order ID 59211

Friday, May 28, 2010 9:22:40 AM



Page 1

Item ID: D350-600-449

Accept



Setup Start



Revision ID:

Item Name: Switch Relocation

Stop



Start Date: 5/27/2010 Start Qty: 5.00



Cust Item ID:

Required Date: 6/4/2010 Req'd Qty: 5.00



Customer:

Reference:

Approvals: Process Plan: *RP*Date: *10-5-28* Tooling:

Date:

QC:

Date: SPC (Y/N):

Date:

Run Start



Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool # Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

N/A

Rev C

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile & type labels per PPP D350-600-449 CHG001

*6 10/07/26**Handwritten signature and date: BG 10/07/01*

101

Pick Kit

0.00



Packaging

Memo

0.00

Packaging

Handwritten: 10-7-1 sf 52

110

QC4- 100% Inspect kits for completeness

0.00



QC

Memo

0.00

Quality Control

*Handwritten: S 10/07/26**Handwritten: X5*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 59211

Friday, May 28, 2010 9:22:40 AM

Page 2

Item ID: D350-600-449

Accept

Revision ID:

Item Name: Switch Relocation

Start Date: 5/27/2010 Start Qty: 5.00

Required Date: 6/4/2010 Req'd Qty: 5.00

Reference:

Cust Item ID:

Customer:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run

Start

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool # Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120



Packaging

Packaging

0.00

Memo

0.00

Identify and pack for shipping as per PPP D350-600-449

Location: 122PPP Rev: Drift

130



QC

Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

10-8-27

50

10/07/28

10-7-27

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Friday, May 28, 2010 9:22:44 AM

Page 1

Work Order ID: 59211

Parent Item: D350-600-449

Parent Item Name: Switch Relocation

Comments: IPP Rev: a 07.03.07 new issue ec

Start Date: 5/27/2010

Required Date: 6/4/2010

Start Qty: 5.00

Required Qty: 5.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3597-1 Female Spade Connector		Manufactured	No			110	Each	41.0000	2	10			
-----------------------------------	--	--------------	----	--	--	-----	------	---------	---	----	--	--	--

Location Loc Qty Loc Code

st073 41
31200 41

D3598-2 Expandable Sleeve 1/4"		Manufactured	No			110	f	20.2000	8	42.10526			
-----------------------------------	--	--------------	----	--	--	-----	---	---------	---	----------	--	--	--

Location Loc Qty Loc Code

st073 20.2
31201 15
36442 5.2

D3599-1 Tie Wrap		Manufactured	No			110	Each	17.0000	24	120			
---------------------	--	--------------	----	--	--	-----	------	---------	----	-----	--	--	--

Location Loc Qty Loc Code

st073 17
55129 17

D3600-1 Tie Wrap Mount		Manufactured	No			110	Each	42.0000	24	120			
---------------------------	--	--------------	----	--	--	-----	------	---------	----	-----	--	--	--

Location Loc Qty Loc Code

st073 42
55128 42

10-7-15
10
42.10526
B60277 10.7-26
103
B60275 10.7-7
10-7-1
120
B60276 10.7-7
787

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Friday, May 28, 2010 9:22:44 AM

Page 2

Work Order ID: 59211

Parent Item: D350-600-449

Parent Item Name: Switch Relocation

Comments: IPP Rev:a07.03.07 new issue ec

Start Date: 5/27/2010

Required Date: 6/4/2010

Start Qty: 5.00

Required Qty: 5.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	----------------	--------------	---------------	----------------	--------

M22759/16-229, measured & help cut Purchased

No

110

f

334.4737

24

126.3158



122GA ELECTRICAL WIRE, 24'



10-7-15

Location

ST394

Loc Qty

334.4737

Loc Code

104555

334.4737

1- Cut to length as per dwg

M81824/1-2

Purchased

No

110

Each

114.0000

3

15



SPLICE



10-7-15

52

Location

ST394

Loc Qty

114

Loc Code

112612

14

112691

100

15

Friday, May 28, 2010 9:22:44 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

-241	-242	-243	-245	-246	-247	-248	-249	-449	Part Number	Description
X									D350-600-241	SPACEPOD™ LH, AS350
	X								D350-600-242	SPACEPOD™ RH, AS350/355
		X							D355-600-243	SPACEPOD™ LH, AS355
1		1	X						D350-600-245	DOOR ASSEMBLY LH
	1			X					D350-600-246	DOOR ASSEMBLY RH
					X				D350-600-247	SPACEPOD™ UPGRADE KIT LH
						X			D350-600-248	SPACEPOD™ UPGRADE KIT RH
							X		D350-600-249	SPACEPOD™ UPGRADE KIT
1	1	1						X	D350-600-449	SWITCH RELOCATION KIT
2	2	2							D2174-041	WEB ASSEMBLY
							1		D2464-0360	NEOPRENE SEAL
			1	1					D2589	KEYS, KEY CHAIN
1	1	1							D2985	DECAL
1	1	1			1	1	1		D3015-3	LOCK NUT
			1		1				D3186-3	SPACEPOD DOOR, LH
				1		1			D3186-4	SPACEPOD DOOR, RH
1**		1**							D3187-1	FLOOR
	1**								D3187-2	FLOOR
1									D3188-5	SPACEPOD BODY
	1								D3188-6	SPACEPOD BODY
		1							D3188-7	SPACEPOD BODY
1	1	1			1	1	1		D3547-1	BRACKET
1	1	1			1	1	1		D3550-1	STRUT
			1	1	1	1	1		D3552-7	GAS SPRING
1	1	1			1	1	1		D3554-7	BALL STUD
8	8	8							AN3-3A	BOLT
2	2	2							AN3-10A	BOLT
8	8	8							AN3H4	BOLT
1	1	1			1	1	1		AN5-5A	BOLT
36	36	36							AN525-10R7	SCREW
8	8	8			4	4	4		AN526C832R14	SCREW
7	7	7							MS24694S67	SCREW
1	1	1			1	1	1		MS24694S69	SCREW
			2	2	2	2	2		MS27039-0811	SCREW
8	8	8			1	1	1		AN3235-020-935	WASHER
8	8	8							AN960JD10	WASHER
16	16	16			1	1	1		AN960JD10L	WASHER
			4	4	8	8	8		AN960JD8	WASHER
3	3	3			3	3	3		AN960JD516	WASHER
			2	2	2	2	2		NAS1515H3	NYLON WASHER
			2	2	6	6	6		MS21042L08	NUT
16	16	16			1	1	1		MS21042L3	NUT (or MS21042-3)
1	1	1			1	1	1		MS21042L5	NUT
16	16	16							AKS7-1032-130	INSERT
28**	28**	28**							AKS7-1032-130	INSERT
								3	M81824/1-2	SPLICE

• COPYRIGHT © 2006 BY DART AEROSPACE LTD. •
 THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED
 OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: E
 Date: 09.07.31

-241	-242	-243	-245	-246	-247	-248	-249	-449	Part Number	Description
								2	D3597-1	FEMALE SPADE CONNECTOR
								1	D3598-2-096	EXPANDABLE SLEEVE
								24	D3599-1	TIE-WRAP
								24	D3600-1	TIE-WRAP MOUNT
								24 FT	M22759/16-22-9	WIRE
			1*	1*	1*	1*			D2464-1250	NEOPRENE SEAL
1**		1**	1*		1*				D3567-1	DECAL
	1**			1*		1*			D3567-2	DECAL
			2*	2*					D2586	LATCH
			2*	2*					D2585	MOUNTING CHANNEL
			2*	2*					D2621	LATCH PLATE
			2*	2*					MS27039-1-15	SCREW
					2	2	1		MS27039-1-25	SCREW
			2*	2*	2	2	1		AN960JD10	WASHER
			2*	2*	2	2	1		MS21042L3	NUT (or MS21042-3)
			1*	1*					D2857-1	HINGE BRACKET
			1*	1*					D2857-2	HINGE BRACKET
			2*	2*					D2228	BACKING PLATE
			8*	8*	8	8	8		AN526C832R10	SCREW
			8*	8*	8	8	8		AN960JD8	WASHER
			8*	8*	8	8	8		MS21042L08	NUT
			1*	1*	1*	1*	1		D3557-1	BRACKET
			2*	2*	2*	2*	2		D2228	BACKING PLATE
			1*	1*	1*	1*	1		D3554-7	BALL STUD
			1*	1*	1*	1*	1		AN960JD516	WASHER
			1*	1*	1*	1*	1		D3015-3	LOCK NUT
			2*	2*	2*	2*	2		AN526C832R14	SCREW
			2*	2*	2*	2*	2		AN526C832R10	SCREW
			4*	4*	4*	4*	4		AN960JD8	WASHER
			4*	4*	4*	4*	4		MS21042L08	NUT
2**	2**	2**			1	1	1		D2237	STRIKER PLATE
4**	4**	4**			2	2	2		MS20426AD4-5	RIVET
2**	2**	2**			2	2	2		D3538-1	HINGE BRACKET
2**	2**	2**							D2179	HINGE BRACKET PLATE
4**	4**	4**			4	4	4		AN526C832R24	SCREW
4**	4**	4**			4	4	4		AN960JD8	WASHER
4**	4**	4**			4	4	4		MS21042L08	NUT

* PRE-INSTALLED ON D3186-3/-4 SPACEPOD™ DOOR

** PRE-INSTALLED ON D3188-5/-6/-7 SPACEPOD™